


DAFTAR PUSTAKA

- Arshad Ali, A., & Iqbal, A. (2020). The outbreak of Coronavirus Disease 2019 (COVID-19)—An emerging global health threat. *Journal of Infection and Public Health*
- Aslam, F. (2020). COVID-19 and Importance of Social Distancing. *Preprints*, 30(1), characteristics of coronavirus disease 2019 in China. *New England Journal of Medicine*, 382(18), 1708–1720. <https://doi.org/10.1056/NEJMoa200203>
- Coronavirus disease 2019 (COVID-19) Situation Report – 30.2020. Available at: https://www.who.int/docs/default-source/coronavirus/situation-reports/20200219-sitrep-30-covid-19.pdf?sfvrsn=3346b04f_2 Access Mar, 2020 .
- Di Gennaro, F., Pizzol, D., Marotta, C., Antunes, M., Racalbuto, V., Veronese, di Indonesia. *Jurnal Perencanaan Pembangunan: The Indonesian Journal of Development Planning*, 4(2), 240–252. <https://doi.org/10.36574/jpp.v4i2.118> diagnosis, prevention and control of coronaviruse disease (COVID-19) during the early outbreak period", *Infectious Disease of Poverty. disease*, vol. 2.
- Widiyani, Cervino, G., Matarese, M., D'amico, C., Surace, G., Paduano, V., Guan, W., Ni, Z., Hu, Y., Liang, W., Ou, C., He, J., ... Zhong, N. (2020). Clinical Gugus Tugas COVID-19. (2020). Peta Sebaran Data COVID-19. Retrieved from <https://covid19.go.id>
- Güner, R., Hasanoğlu, İ., & Aktaş, F. (2020). Covid-19: Prevention and control Hopkins, Johns. 2020, „Lembar kegiatan literasi saintifik untuk pembelajaran jarak jauh topik penyakit Coronavirus 2019 (Covid-19)”, *Jurnal Ilmu Pendidikan*,. <https://doi.org/10.3390/ijerph17082690>
- Joint Mission. Report of the WHO-China Joint Mission on Coronavirus Disease 2019 (COVID-19). 2020. <https://www.who.int/docs/default-source/coronavirus/who-china-joint-mission-on-covid-19-final-report.pdf> (accessed March 11, 2020)
- N., & Smith, L. (2020). Coronavirus diseases (COVID-19) current status and future perspectives: A narrative review. *International Journal of Environmental Research and Public Health*, 17(8).
- Natoatmojo, (2017) jurnal Tingkat Pengetahuan Dan Perilaku Masyarakat Kabupaten Wonosobo Tentang Covid-19. *Jurnal Ilmiah Kesehatan*, 10(1), 33–42.
- Rosidin, Ika; Raharyani, A. E. (2020). Tingkat Pengetahuan Dan Perilaku Masyarakat Kabupaten Wonosobo Tentang Covid-19. *Jurnal Ilmiah Kesehatan*, 10(1), 33–42. Retrieved From <https://ojs.unsiq.ac.id/index.php/jik/article/view/1311/783>
- Qian, H., & Zheng, X. (2018). Ventilation control for airborne transmission of human exhaled bio-aerosols in buildings. *Journal of Thoracic Disease*, 10(Suppl 19), S2295–S2304. <https://doi.org/10.21037/jtd.2018.01.24>

- Hidayani., Rawtani, D., & Hussain, C. M. (2020). Environmental perspective of COVID-19. *Science of the Total Environment*, 728(1), 1–6. <https://doi.org/10.1016/j.scitotenv.2020.145200>
- Ruslin A., Mose, R. E., & Martini, M. (2020). Pengetahuan, Sikap dan Keterampilan Masyarakat dalam Pencegahan COVID-19 di DKI Jakarta. *Jurnal Kesehatan Holistic*, 4(2), 68–77. <https://doi.org/10.33377/jkh.v4i2.85>
- Van Doremale, N., Bushmaker, T., Morris, D. H., Holbrook, M. G., Gamble, A., Williamson, B. N., ... Munster, V. J. (2020). Aerosol and Surface Stability of SARS-CoV-2 as Compared with SARSCoV-1. *Nejm*, 382(1), 1564–1567.
- WHO. 2020, „Coronavirus Covid-19 Pneumonia Wuhan“, *Corona virus*
- WHO. 2020, „Coronavirus Disease 2019“, *Jurnal Penyakit Dalam Indonesia*, vol. 7.pp. 45-46.
- WHO. 2020, „Novel coronavirus Wuhan Viral transmission Global health emergency COVID-19“, *International Journal of Surgery*, pp. 71-76 World Health Organization, Novel Coronavirus (2019-nCoV) Advice for the Public, (2020) <https://www.who.int/emergencies/diseases/novelcoronavirus-2019/advice-for-public>
- Notatmozo Wahyudi, E., Wahiduddin, W., Novika, R. G. H., Arina, Y. M. D., Martani, N. S., & Nawan, N. (2020). Community Knowledge, Attitudes, and Behavior Towards Social Distancing Policy As Prevention Transmission of Covid-19 in Indonesia. *Jurnal Administrasi Kesehatan Indonesia*, 8(2),4. <https://doi.org/10.20473/jaki.v8i2.2020.4-14>
- Yunus, N.R. 2020, „Kebijakan Pemberlakuan lockdown sebagai antisipasi
- Zein, A. 2020, „Pendeteksian Virus Corona dalam gambar X-Ray menggunakan algoritma Artificial Intelligence dengan deep learning Python“, *Jurnal Teknologi Informasi ESIT*, vol. XV, no. 1.

LAMPIRAN



Lampiran 1

LEMBAR KONSULTASI/ BIMBINGAN SKRIPSI

NAMA : MOHAMAD RUSTOM NAWAWI
NIM : 214201446175
DOSEN PEMBIMBING I : Ns. DAYAN HISNI, MNS
DOSEN PEMBIMBING II : Ns. ANDI MAYASARI USMAN, M.Kep
JUDUL SKRIPSI : FAKTOR-FAKTOR YANG MEMPENGARUHI PERILAKU
MASYARAKAT DALAM PENCEGAHAN COVID- 19 DI DESA
PARI KECAMATAN MANDALAWANGI TAHUN 2022

NO	TANGGAL	KETERANGAN	PARAF PEMBIMBING
1	25-10-2022	Pengajuan Judul	
2	01-11-2022	Acc Judul, Pengajuan Bab 1 & 2	
3	13-11-2022	Revisi Bab 1 & 2	
4	20-11-2022	Acc Bab 1 & 2, Pengajuan Bab 3	
5	8-12-2022	Revisi Bab 3, Pengajuan Bab 4	
6	20-12-2022	Acc Bab 3, Revisi Bab 4	
7	08-02-2023	Revisi Bab 4, Pengajuan Bab 5	
8	09-02-2023	Acc Bab 4 &5, Acc Keseluruhan	

Disetujui Oleh,
Dosen Pembimbing

Ns. Dayan Hisni, MNS

Dipindai dengan CamScanner

LEMBAR KONSULTASI/ BIMBINGAN SKRIPSI


NAMA : MOHAMAD RUSTOM NAWAWI
NIM : 214201446175
DOSEN PEMBIMBING I : Ns. DAYAN HISNI, MNS
DOSEN PEMBIMBING II : Ns. ANDI MAYASARI USMAN, M.Kep
JUDUL SKRIPSI : FAKTOR-FAKTOR YANG MEMPENGARUHI
PERILAKU MASYARAKAT DALAM
PENCEGAHAN COVID- 19 DI DESA PARI
KECAMATAN MANDALAWANGI TAHUN
2022

NO	TANGGAL	KETERANGAN	PARAF PEMBIMBING
1	25-10-2022	Pengajuan Judul	
2	01-11-2022	Acc Judul, Pengajuan Bab 1 & 2	
3	13-11-2022	Revisi Bab 1 & 2	
4	20-11-2022	Acc Bab 1 & 2, Pengajuan Bab 3	
5	8-12-2022	Revisi Bab 3, Pengajuan Bab 4	
6	20-12-2022	Acc Bab 3, Revisi Bab 4	
7	08-02-2023	Revisi Bab 4, Pengajuan Bab 5	
8	09 -02 - 2023	Acc Bab 4 &5, Acc Keseluruhan	

Disetujui Oleh,
Dosen Pembimbing

Ns. ANDI MAYASARI USMAN, M.Kep

SURAT IZIN PENELITIAN



SURAT BALASAN IZIN PENELITIAN



CS Dipindai dengan CamScanner

SURAT PERMOHONAN MENJADI RESPONDEN

Dengan hormat, Saya yang bertanda tangan dibawah ini:

Nama : Mohamad Rustom Nawawi

NPM 214201446175

Mahasiswa Program Studi Sarjana Keperawatan Universitas Nasional Fakultas Ilmu Kesehatan, akan melakukan penelitian dengan judul: "Faktor-Faktor Yang Mempengaruhi Perilaku Masyarakat Dalam Pencegahan Covid-19 Di Desa Pari Kecamatan Mandalawangi Tahun 2022" Penelitian ini tidak akan menimbulkan kerugian apapun bagi responden. Semua informasi dan data yang didapat dari hasil penelitian akan dijaga kerahasiaannya dan hanya akan digunakan untuk kepentingan penelitian. Apabila bapak/ ibu menyetujui, maka dengan ini saya memohon kesediaan Bapak/ibu untuk mengisi kuesioner ini Atas perhatian dan kesedian Bapak/ibu sebagai responden, saya ucapakan terima kasih.

Pandeglang,

Desember 2022



Mohamad Rustom Nawawi

LEMBAR PERSETUJUAN MENJADI RESPONDEN

INFORMED CONSENT

Kode Responden:

Setelah mendapat penjelasan dari peneliti, saya yang bertanda tangan dibawah ini :

Nama :

Umur :

Pekerjaan :

Dengan ini saya menyatakan bahwa:

1. Saya telah mengerti tentang apa yang tercantum dalam lembar penjelasan dan telah dijelaskan oleh peneliti.
2. Dengan ini saya menyatakan bahwa secara sukarela bersedia untuk ikut serta dan mendaki salah satu subjek penelitian yang berjudul **“Faktor-Faktor Yang Mempengaruhi Perilaku Masyarakat Dalam Pencegahan Covid-19 Di Desa Pari Kecamatan Mandawangi Tahun 2022”**

Pandeglang, Desember 2022

(.....)

DAFTAR KUISIONER

Dengan ini saya "**Mohamad Rustom Nawawi**" mahasiswa Fakultas Ilmu Kesehatan Universitas Faletahan bermaksud untuk melaksanakan penelitian dalam rangka tugas akhir karya ilmiah (skripsi) yang berjudul "**“Faktor-Faktor Yang Mempengaruhi Perilaku Masyarakat Dalam Pencegahan Covid-19 Di Desa Pari Kecamatan Mandala Wangi Tahun 2022**". maka saya mengharapkan kesediaan ibu kiranya berkenan untuk mengisi kuesioner ini dengan sebenar-benarnya sebagai data yang akan digunakan dalam penelitian. Atas perhatian dan perkenaan bapak/saudara saya ucapan terima kasih.

A. Identitas Responden

Nama :
Pekerjaan
 Bekerja
 Tidak Bekerja

B. Pengetahuan

LEMBAR KUESIONER PENGETAHUAN
MASYARAKAT DALAM PENCEGAHAN COVID-19

Petunjuk pengisian

Bapak/Ibu/Saudara/I diharapkan :

1. Menjawab setiap pertanyaan dengan memberi tanda checklist (✓) pada salah satu kolom jawaban yang saudara/saudari yakini kebenarannya dengan penilaian
2. Semua pernyataan harus dijawab
3. Setiap pernyataan harus diisi dengan satu jawaban
4. Bila ada data yang kurang dimengerti dapat ditanyakan kepada peneliti

NO	Pertanyaan	Benar	Salah
1	Covid-19 merupakan penyakit yang tidak dapat menyebabkan kematian		
2	Pada beberapa orang yang terinfeksi covid-19 tidak menunjukkan adanya tanda dan gejala		
3	Masa inkubasi dari Covid-19 adalah 2-14 hari		
4	Demam, kelelahan, dan batuk kering merupakan tanda-tanda umum infeksi Covid-19 disertai dengan gejala seperti hidung tersumbat, pilek, dan diare pada beberapa orang.		
5	Vaksinasi untuk penyakit Covid-19 telah ditemukan dan tersedia		
6	Rapid Test merupakan alat yang digunakan untuk memastikan diagnosis dari Covid-19		
7	Tidak semua orang dengan Covid-19 akan berada dalam kasus yang berat. Hanya mereka yang usia lanjut, mempunyai penyakit kronis lebih mungkin akan mengalami kasus Covid-19 yang berat		
8	Orang dengan Covid-19 tidak dapat menularkan virus kepada orang lain ketika tidak mengalami demam		
9	Virus Covid-19 menyebar melalui droplet pernapasan orang yang terinfeksi		
10	Masyarakat umum harus mengenakan masker medis agar dapat terhindar dari infeksi Covid-19		

Sumber : Erika Emina Sembiring dan Maria Lupita Nena Meo (2020)

**LEMBAR KUESIONER PERILAKU TINDAKAN MASYARAKAT DALAM
PENCEGAHAN COVID-19**

No	Tindakan	Sangat Tidak Setuju	Tidak Setuju	Netral	Setuju	Sangat Setuju
1	Saya selalu mencuci tangan menggunakan handsanitizer setelah memegang benda-benda di tempat umum					
2	Saya menghindari menyentuh benda-benda di tempat umum					
3	Saya selalu menerapkan jaga jarak (physical distancing) dengan orang lain					
4	Saya menghindari kontak fisik (seperti bersalaman) dengan orang lain					
5	Saya selalu menggunakan masker saat berada di tempat umum					
6	Saya menjaga kebersihan masker saya dengan cara mengganti atau mencuci masker yang saya gunakan					

Sumber :Ummi Sartika (2021)



**LEMBAR KUESIONER SIKAP MASYARAKAT DALAM
PENCEGAHAN COVID-19**

NO	Pernyataan	Benar	Salah
1	Tidak penting menggunakan masker bila keluar rumah selama masa pandemic Covid-19		
2	Mencuci tangan menggunakan hand sanitizier sudah cukup untuk mencegah infeksi Covid-19		
3	Setiap orang harus membekali diri dengan semua informasi tentang Covid-19		
4	Tidak pergi keluar rumah jika tidak ada kepentingan yang mendesak		
5	Hindari menyentuh mata, hidung atau mulut dengan tangan yang tidak dicuci untuk mencegah terinfeksi Covid-19		
6	Harus menjaga jarak dengan orang lain setidaknya 1.5 meter supaya tidak tertular Covid-19		
7	Tidak harus menghindari tempat keramaian saat pandemic Covid-19		
8	Segera mencuci seluruh pakaian bekas pakai diluar rumah dengan menggunakan sabun		
9	Harus segera mandi dan mencuci rambut setelah tiba dirumah sebelum menyentuh benda apa pun atau berinteraksi dengan orang didalam rumah		
10	Istirahat yang cukup, rajin olah raga dan mengkonsumsi makanan yang bergizi dapat membantu seseorang meningkatkan daya tahan tubuh sehingga terhindar dari resiko tertular Covid-19		

Sumber :Erika Emina Sembiring dan Maria Lupita Nena Meo (2020)

DAFTAR RIWAYAT HIDUP

I. IDENTITAS PRIBADI


Nama : MOHAMAD RUSTOM NAWAWI
Tempat/Tanggal Lahir : Pandeglang , 04 Juni 1979
Agama : Islam
Status Perkawinan : Menikah
Golongan Darah : B
Alamat : Kp.Pari Rt.003 Rw.005 Ds. Mandalawang
Kec. Mandalawangi, Kab. Pandeglang Banten.
No Hp : 081911198933
Email : rustomnawawi@gmail.com

II. RIWAYAT PENDIDIKAN

1. SD Palanyar : Tahun 1987-1982
2. SMPN 1 Pandeglang : Tahun 1992-1995
3. SMU 3 NEGRI Pandeglang : Tahun 1995-1998
4. D3 Akper Faletahan Serang : Tahun 1998-2001
5. UNIVERSITASNASIONAL (S 1 Keperawatan) : Tahun 2021 sampai Sekarang



DOKUMENTASI KEGIATAN









HASIL OUTPUT PENELITIAN

DESCRIPTIVES VARIABLES=pengetahuan pekerjaan sikap

/STATISTICS=MEAN STDDEV MIN MAX KURTOSIS SKEWNESS.

Descriptives

Notes	
Output Created	10-FEB-2023 15:24:00
Comments	
Input	Active Dataset  DataSet0 <none> Filter <none> Weight <none> Split File <none> N of Rows in Working Data File 96 Definition of Missing User defined missing values are treated as missing. Cases Used All non-missing data are used. DESCRIPTIVES VARIABLES=pengetahuan pekerjaan sikap /STATISTICS=MEAN STDDEV MIN MAX KURTOSIS SKEWNESS.
Missing Value Handling	
Syntax	
Resources	Processor Time 00:00:00,00 Elapsed Time 00:00:00,00

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation	Skewness
	Statistic	Statistic	Statistic	Statistic	Statistic	Statistic
pengetahuan	96	1.00	2.00	1.6667	.47388	-.718

pekerjaan	96	1.00	2.00	1.4792	.50219	.085
Sikap	96	1.00	2.00	1.7396	.44117	-1.109
Valid N (listwise)	96					

Descriptive Statistics

	Skewness	Kurtosis	
	Std. Error	Statistic	Std. Error
Pengetahuan	.246	-1.516	.488
Pekerjaan	.246	-2.036	.488
Sikap	.246	-.786	.488
Valid N (listwise)			

FREQUENCIES VARIABLES=pengetahuan pekerjaan sikap

/NTILES=4

/STATISTICS=STDDEV VARIANCE RANGE MINIMUM MAXIMUM SEMEAN MEAN MEDIAN SKEWNESS
SESKW KURTOSIS SEKURT

/ORDER=ANALYSIS

Frequencies

Output Created	10-FEB-2023 15:24:19	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

	Cases Used	Statistics are based on all cases with valid data.
Syntax		<pre> FREQUENCIES VARIABLES=pengetahuan pekerjaan sikap /NTILES=4 /STATISTICS=STDDEV VARIANCE RANGE MINIMUM MAXIMUM SEMEAN MEAN MEDIAN SKEWNESS SESKEW KURTOSIS SEKURT /ORDER=ANALYSIS. </pre>
Resources	Processor Time Elapsed Time	 00:00:00,02 00:00:00,10

		Statistics		
		pengetahuan	Pekerjaan	sikap
N	Valid	96	96	96
	Missing	0	0	0
Mean		1.6667	1.4792	1.7396
Std. Error of Mean		.04837	.05125	.04503
Median		2.0000	1.0000	2.0000
Std. Deviation		.47388	.50219	.44117
Variance		.225	.252	.195
Skewness		-.718	.085	-1.109
Std. Error of Skewness		.246	.246	.246
Kurtosis		-1.516	-2.036	-.786
Std. Error of Kurtosis		.488	.488	.488
Range		1.00	1.00	1.00
Minimum		1.00	1.00	1.00
Maximum		2.00	2.00	2.00

Percentiles	25		1.0000	1.0000	1.0000
	50		2.0000	1.0000	2.0000
	75		2.0000	2.0000	2.0000

Frequency Table

Pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang baik	32	33.3	33.3	33.3
	Baik	64	66.7	66.7	100.0
	Total	96	100.0	100.0	

Pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak bekerja	50	52.1	52.1	52.1
	bekerja	46	47.9	47.9	100.0
	Total	96	100.0	100.0	

Sikap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak baik	25	26.0	26.0	26.0
	Baik	71	74.0	74.0	100.0
	Total	96	100.0	100.0	

Notes

Output Created		10-FEB-2023 16:25:39
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	97
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		<p>CORRELATIONS</p> <pre>/VARIABLES=pengetahuan prilaku /PRINT=TWOTAIL NOSIG /STATISTICS DESCRIPTIVES XPROD /MISSING=PAIRWISE.</pre>
Resources	Processor Time	00:00:00,08
	Elapsed Time	00:00:00,14

[DataSet1]

Notes

Output Created		10-FEB-2023 16:32:51
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>

	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File		97
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
Syntax		CORRELATIONS /VARIABLES=pengetahuan prilaku /PRINT=ONETAIL NOSIG /STATISTICS DESCRIPTIVES XPROD /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,00	
	Elapsed Time	00:00:00,00	

Descriptive Statistics

	Mean	Std. Deviation	N
pengetahuan	1.6667	.47388	96
Prilaku	1.5729	.49725	96

Crosstabs

Notes

Output Created	10-FEB-2023 16:34:27
Comments	
Input	Active Dataset
	DataSet1
Filter	<none>
Weight	<none>

	Split File	<none>	
	N of Rows in Working Data File		97
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.	
Syntax		CROSSTABS /TABLES=pengetahuan BY prilaku /FORMAT=AVALUE TABLES /STATISTICS=CC PHI CORR CMH(1) /CELLS=COUNT /COUNT ROUND CELL.	
Resources	Processor Time	00:00:00,02	
	Elapsed Time	00:00:00,05	
	Dimensions Requested	2	
	Cells Available	174734	



	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan * prilaku	96	99.0%	1	1.0%	97	100.0%

pengetahuan * prilaku Crosstabulation

Count

		prilaku		Total
		benar	salah	
Pengetahuan	tidak baik	5	27	32
	Baik	36	28	64
Total		41	55	96

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b
Nominal by Nominal	Phi	-.387		
	Cramer's V	.387		
	Contingency Coefficient	.361		
Interval by Interval	Pearson's R	-.387	.085	-4.071
Ordinal by Ordinal	Spearman Correlation	-.387	.085	-4.071
N of Valid Cases		96		

Symmetric Measures

		Approx. Sig.
Nominal by Nominal	Phi	.000
	Cramer's V	.000
	Contingency Coefficient	.000
Interval by Interval	Pearson's R	.000 ^c
Ordinal by Ordinal	Spearman Correlation	.000 ^c
N of Valid Cases		

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Tests of Homogeneity of the Odds Ratio

	Chi-Squared	df	Asymp. Sig. (2-sided)
Breslow-Day	.000	0	.
Tarone's	.000	0	.

Tests of Conditional Independence

	Chi-Squared	df	Asymp. Sig. (2-sided)
Cochran's	14.389	1	.000
Mantel-Haenszel	12.644	1	.000

Under the conditional independence assumption, Cochran's statistic is asymptotically distributed as a 1 df chi-squared distribution, only if the number of strata is fixed, while the Mantel-Haenszel statistic is always asymptotically distributed as a 1 df chi-squared distribution.

Note that the continuity correction is removed from the Mantel-Haenszel statistic when the sum of the differences between the observed and the expected is 0.

Mantel-Haenszel Common Odds Ratio Estimate

Estimate	.144
In(Estimate)	-1.938
Std. Error of In(Estimate)	.548
Asymp. Sig. (2-sided)	.000
Common Odds Ratio	
Lower Bound	.049

Asymp. 95% Confidence Interval	Upper Bound	.422
	Lower Bound	-3.012
	Upper Bound	-.863

The Mantel-Haenszel common odds ratio estimate is asymptotically normally distributed under the common odds ratio of 1.000 assumption. So is the natural log of the estimate.

CROSSTABS

```
/TABLES=pengetahuan BY prilaku
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ CC PHI ETA CORR RISK CMH(1)
/CELLS=COUNT
/COUNT ROUND CELL.
```

Crosstabs

Output Created	10-FEB-2023 16:37:22
Comments	
Input	Active Dataset DataSet1 <none>
Filter	<none>
Weight	<none>
Split File	<none>
N of Rows in Working Data File	97
Missing Value Handling	Definition of Missing User-defined missing values are treated as missing. Cases Used Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.

Syntax

CROSSTABS

/TABLES=pengetahuan BY prilaku

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ CC PHI ETA
CORR RISK CMH(1)

/CELLS=COUNT

/COUNT ROUND CELL.

Resources

Processor Time

00:00:00,00

Elapsed Time

00:00:00,00

Dimensions Requested

2

Cells Available

174734

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan * prilaku	96	99.0%	1	1.0%	97	100.0%

pengetahuan * prilaku Crosstabulation

Count

		prilaku		Total
		benar	salah	
pengetahuan	tidak baik	5	27	32
	baik	36	28	64
Total		41	55	96

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14.389 ^a	1	.000		
Continuity Correction ^b	12.777	1	.000		
Likelihood Ratio	15.578	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	14.239	1	.000		
N of Valid Cases	96				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 13.67.

b. Computed only for a 2x2 table

Directional Measures

			Value
Nominal by Interval	Eta	pengetahuan Dependent	.387
		prilaku Dependent	.387

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b
Nominal by Nominal	Phi	-.387		
	Cramer's V	.387		
	Contingency Coefficient	.361		
Interval by Interval	Pearson's R	-.387	.085	-4.071
Ordinal by Ordinal	Spearman Correlation	-.387	.085	-4.071
N of Valid Cases		96		

Symmetric Measures

		Approx. Sig.
Nominal by Nominal	Phi	.000
	Cramer's V	.000
	Contingency Coefficient	.000
Interval by Interval	Pearson's R	.000 ^a
Ordinal by Ordinal	Spearman Correlation	.000 ^a
N of Valid Cases		

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pengetahuan (tidak baik / baik)	.144	.049	.422
For cohort prilaku = benar	.278	.121	.639
For cohort prilaku = salah	1.929	1.407	2.643
N of Valid Cases	96		

Tests of Homogeneity of the Odds Ratio

	Chi-Squared	df	Asymp. Sig. (2-sided)
Breslow-Day	.000	0	.
Tarone's	.000	0	.

Tests of Conditional Independence

	Chi-Squared	df	Asymp. Sig. (2-sided)
Cochran's	14.389	1	.000
Mantel-Haenszel	12.644	1	.000

Under the conditional independence assumption, Cochran's statistic is asymptotically distributed as a 1 df chi-squared distribution, only if the number of strata is fixed, while the Mantel-Haenszel statistic is always asymptotically distributed as a 1 df chi-squared distribution.

Note that the continuity correction is removed from the Mantel-Haenszel statistic when the sum of the differences between the observed and the expected is 0.

Mantel-Haenszel Common Odds Ratio Estimate

Estimate	.144
In(Estimate)	-1.938
Std. Error of In(Estimate)	.548
Asymp. Sig. (2-sided)	.000
Asymp. 95% Confidence Interval	
Common Odds Ratio	
Lower Bound	.049
Upper Bound	.422
In(Common Odds Ratio)	
Lower Bound	-3.012
Upper Bound	-.863

The Mantel-Haenszel common odds ratio estimate is asymptotically normally distributed under the common odds ratio of 1.000 assumption. So is the natural log of the estimate.

NEW FILE.

DATASET NAME DataSet2 WINDOW=FRONT.

DATASET ACTIVATE DataSet0.

DATASET CLOSE DataSet2.

DATASET ACTIVATE DataSet1.

CROSSTABS

/TABLES=Pekerjaan BY prilaku
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ CC PHI ETA CORR RISK CMH(1)
/CELLS=COUNT
/COUNT ROUND CELL
/BARCHART.

Crosstabs

Notes	
Output Created	10-FEB-2023 16:42:39
Comments	
Input	<p>Active Dataset DataSet1</p> <p>Filter <none></p> <p>Weight <none></p> <p>Split File <none></p> <p>N of Rows in Working Data File</p>
Missing Value Handling	<p>Definition of Missing User-defined missing values are treated as missing.</p> <p>Cases Used Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.</p>

Syntax

CROSSTABS

/TABLES=Pekerjaan BY prilaku

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ CC PHI ETA
CORR RISK CMH(1)

/CELLS=COUNT

/COUNT ROUND CELL

/BARCHART.

Resources

Processor Time

00:00:01,24

Elapsed Time

00:00:05,18

Dimensions Requested

2

Cells Available

174734

[DataSet1]

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pekerjaan * prilaku	96	99.0%	1	1.0%	97	100.0%

Pekerjaan * prilaku Crosstabulation

Count

		Prilaku		Total
		benar	Salah	
Pekerjaan	tidak Bekerja	20	30	50
	bekerja	21	25	46
Total		41	55	96

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.313 ^a	1	.576		
Continuity Correction ^b	.124	1	.724		
Likelihood Ratio	.313	1	.576		
Fisher's Exact Test				.680	.362
Linear-by-Linear Association	.310	1	.578		
N of Valid Cases	96				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 19.65.

b. Computed only for a 2x2 table

Directional Measures

			Value
Nominal by Interval	Eta	Pekerjaan Dependent	.057
		prilaku Dependent	.057

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b
Nominal by Nominal	Phi	-.057		
	Cramer's V	.057		
	Contingency Coefficient	.057		
Interval by Interval	Pearson's R	-.057	.102	-.554
Ordinal by Ordinal	Spearman Correlation	-.057	.102	-.554
N of Valid Cases		96		


Symmetric Measures

		Approx. Sig.
Nominal by Nominal	Phi	.576
	Cramer's V	.576
	Contingency Coefficient	.576
Interval by Interval	Pearson's R	.581 ^a
Ordinal by Ordinal	Spearman Correlation	.581 ^a
N of Valid Cases		

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

Risk Estimate


	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pekerjaan (tidak Bekerja / bekerja)	.794	.353	1.785
For cohort prilaku = benar	.876	.551	1.393
For cohort prilaku = salah	1.104	.779	1.564
N of Valid Cases	96		



Under the conditional independence assumption, Cochran's statistic is asymptotically distributed as a 1 df chi-squared distribution, only if the number of strata is fixed, while the Mantel-Haenszel statistic is always asymptotically distributed as a 1 df chi-squared distribution.

Note that the continuity correction is removed from the Mantel-Haenszel statistic when the sum of the differences between the observed and the expected is 0.

Mantel-Haenszel Common Odds Ratio Estimate

Estimate	.794
In(Estimate)	-.231
Std. Error of In(Estimate)	.413
Asymp. Sig. (2-sided)	.576
Asymp. 95% Confidence Interval	Common Odds Ratio  Lower Bound Upper Bound Lower Bound Upper Bound
	.353
	1.785
	-1.041
	.579

The Mantel-Haenszel common odds ratio estimate is asymptotically normally distributed under the common odds ratio of 1.000 assumption. So is the natural log of the estimate.

CROSSTABS

```
/TABLES=Sikap BY prilaku
/FORMAT=NOTABLES
/STATISTICS=CHISQ CC PHI ETA CORR RISK CMH(1)
/COUNT ROUND CELL
/BARCHART.
```

Crosstabs

Notes

Output Created

10-FEB-2023 16:47:49

Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	97
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
Syntax	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table. CROSSTABS /TABLES=Sikap BY prilaku /FORMAT=NOTABLES /STATISTICS=CHISQ CC PHI ETA CORR RISK CMH(1) /COUNT ROUND CELL /BARCHART.
Resources	Processor Time	00:00:00,17
	Elapsed Time	00:00:00,16
	Dimensions Requested	2
	Cells Available	174734

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent

Sikap * prilaku	96	99.0%	1	1.0%	97	100.0%
-----------------	----	-------	---	------	----	--------

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	16.642 ^a	1	.000		
Continuity Correction ^b	14.780	1	.000		
Likelihood Ratio	19.361	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	16.469	1	.000		
N of Valid Cases	96				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.68.

b. Computed only for a 2x2 table

Directional Measures

			Value
Nominal by Interval	Eta	Sikap Dependent	.416
		prilaku Dependent	.416

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b
Nominal by Nominal	Phi	-.416		
	Cramer's V	.416		
Interval by Interval	Contingency Coefficient	.384		
	Pearson's R	-.416	.073	-4.440

Ordinal by Ordinal	Spearman Correlation	-.416	.073	-4.440
N of Valid Cases		96		


Symmetric Measures

		Approx. Sig.
Nominal by Nominal	Phi	.000
	Cramer's V	.000
Interval by Interval	Contingency Coefficient	.000
Ordinal by Ordinal	Pearson's R	.000 ^a
N of Valid Cases	Spearman Correlation	.000 ^a

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sikap (tidak Baik / baik)	.071	.016	.326
For cohort prilaku = benar	.146	.038	.560
For cohort prilaku = salah	2.041	1.540	2.705
N of Valid Cases	96		



Under the conditional independence assumption, Cochran's statistic is asymptotically distributed as a 1 df chi-squared distribution, only if the number of strata is fixed, while the Mantel-Haenszel statistic is always asymptotically distributed as a 1 df chi-squared distribution.

Note that the continuity correction is removed from the Mantel-Haenszel statistic when the sum of the differences between the observed and the expected is 0.

Mantel-Haenszel Common Odds Ratio Estimate

Estimate	.071						
In(Estimate)	-2.640						
Std. Error of In(Estimate)	.775						
Asymp. Sig. (2-sided)	.001						
Asymp. 95% Confidence Interval	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; width: 40%;">Common Odds Ratio</td> <td style="text-align: center;">Lower Bound</td> <td style="text-align: center;">Upper Bound</td> </tr> <tr> <td style="text-align: center;">In(Common Odds Ratio)</td> <td style="text-align: center;">Lower Bound</td> <td style="text-align: center;">Upper Bound</td> </tr> </table>	Common Odds Ratio	Lower Bound	Upper Bound	In(Common Odds Ratio)	Lower Bound	Upper Bound
Common Odds Ratio	Lower Bound	Upper Bound					
In(Common Odds Ratio)	Lower Bound	Upper Bound					
	.016						
	.326						
	-4.159						
	-1.122						

The Mantel-Haenszel common odds ratio estimate is asymptotically normally distributed under the common odds ratio of 1.000 assumption. So is the natural log of the estimate.

DONE SKRIPSI M RUTOM NAWAWI.docx

ORIGINALITY REPORT

28%
SIMILARITY INDEX

27%
INTERNET SOURCES

15%
PUBLICATIONS

19%
STUDENT PAPERS

PRIMARY SOURCES

1	repository.stikeselisabethmedan.ac.id Internet Source	5%
2	repositori.usu.ac.id Internet Source	2%
3	web.stfm.ac.id Internet Source	1 %
4	repository.helvetia.ac.id Internet Source	1 %
5	repository.itekes-bali.ac.id Internet Source	1 %
6	Submitted to Universitas Nasional Student Paper	1 %
7	Submitted to Sriwijaya University Student Paper	1 %
8	repository.unbari.ac.id Internet Source	1 %
9	bppp.kemendag.go.id Internet Source	1 %

10	jurnal.unimus.ac.id Internet Source	1 %
11	repository.poltekkes-denpasar.ac.id Internet Source	1 %
12	repository.unas.ac.id Internet Source	1 %
13	www.coursehero.com Internet Source	1 %
14	repository.uma.ac.id Internet Source	1 %
15	Submitted to Tabor College Student Paper	1 %
16	Submitted to Universitas Respati Indonesia Student Paper	1 %
17	Submitted to Laureate Higher Education Group Student Paper	<1 %
18	Submitted to Coventry University Student Paper	<1 %
19	Submitted to Kingston University Student Paper	<1 %
20	text-id.123dok.com Internet Source	<1 %
21	vbook.pub	

Internet Source

<1 %

22 repository.uki.ac.id

Internet Source

<1 %

23 repository.unar.ac.id

Internet Source

<1 %

24 eprints.ums.ac.id

Internet Source

<1 %

25 repository.usahidsolo.ac.id

Internet Source

<1 %

26 repository.umsu.ac.id

Internet Source

<1 %

27 vuir.vu.edu.au

Internet Source

<1 %

28 Submitted to Universitas Negeri Jakarta

Student Paper

<1 %

29 hummed.ejournal.unsri.ac.id

Internet Source

<1 %

30 journal.ppnijateng.org

Internet Source

<1 %

31 pt.scribd.com

Internet Source

<1 %

32 id.123dok.com

Internet Source

<1 %

33	core.ac.uk Internet Source	<1 %
34	www.scribd.com Internet Source	<1 %
35	Submitted to Purdue University Student Paper	<1 %
36	repository.unibos.ac.id Internet Source	<1 %
37	Submitted to Educational Service District 105 Student Paper	<1 %
38	Submitted to Universitas Sam Ratulangi Student Paper	<1 %
39	Submitted to University of Wales Institute, Cardiff Student Paper	<1 %
40	repo.unikadelasalle.ac.id Internet Source	<1 %
41	ejournal.uin-malang.ac.id Internet Source	<1 %
42	id.scribd.com Internet Source	<1 %
43	repository.ub.ac.id Internet Source	<1 %
44	repository.unugiri.ac.id	

<1 %

45 Submitted to Trinity College Dublin <1 %
Student Paper

46 ojs.rajawali.ac.id <1 %
Internet Source

47 repository.unja.ac.id <1 %
Internet Source

48 edoc.site <1 %
Internet Source

49 eprints.undip.ac.id <1 %
Internet Source

50 garuda.kemdikbud.go.id <1 %
Internet Source

51 Fauziah Fidya Jahja, Milla Evelianti Saputri, Tommy Jemmy Wowor. "Faktor-Faktor Yang Berhubungan Dengan Perilaku Pencegahan Covid-19 Di Komplek Jati Padang Baru Kota Jakarta Selatan", Malahayati Nursing Journal, 2022
Publication

52 gemangabdi.unram.ac.id <1 %
Internet Source

53 jurnal.stikeswilliambooth.ac.id <1 %
Internet Source

54	stikes-nhm.e-journal.id Internet Source	<1 %
55	es.scribd.com Internet Source	<1 %
56	turkiyeklinikleri.com Internet Source	<1 %
57	archimer.ifremer.fr Internet Source	<1 %
58	docs.di.fc.ul.pt Internet Source	<1 %
59	ecampus.poltekkes-medan.ac.id Internet Source	<1 %
60	repository.um-palembang.ac.id Internet Source	<1 %
61	repository.umj.ac.id Internet Source	<1 %
62	www.researchgate.net Internet Source	<1 %
63	www.slideshare.net Internet Source	<1 %
64	Puji Rizki Suryani, Susilawati, Riana Sari Puspita, Sadakata Sinulingga, Masayu Farah Diba. "Pendampingan pelaksanaan dan pembiasaan adaptasi kehidupan baru bagi	<1 %

masyarakat", Jurnal Pengabdian Masyarakat: Humanity and Medicine, 2021

Publication

- 65 Y H Sipahutar, H Rahmayanti, R Achmad, R Sitorus. "Increased Effectiveness of Conservation the Coastal Environment through Cleaner Production and Work Motivation of Fish Processors", IOP Conference Series: Earth and Environmental Science, 2022 <1 %

Publication

- 66 eprints.umpo.ac.id <1 %

Internet Source

Exclude quotes

Off

Exclude bibliography

Off

Exclude matches

Off

