


DAFTAR PUSTAKA

- Sutinah, E., Alfarobi, I., & Setiawan, A. (2021). Metode Rapid Application Development Dalam Pembuatan Sistem Informasi Pemenuhan SDM pada Perusahaan Outsourcing. *InfoTekJar: Jurnal Nasional Informatika Dan Teknologi Jaringan*, 5(2), 246–253. <https://jurnal.uisu.ac.id/index.php/infotekjar/article/view/3528/pdf>
- Lazuardi, M. H., Hayati, N., & Soepriyono, G. (2023). Sistem Informasi Penjualan Motor Bekas Dengan Menggunakan Algoritma Sequential Search Dan Selection Sort. *JIPI (Jurnal Ilmiah Penelitian Dan Pembelajaran Informatika)*, 8(3), 1033–1043. <https://doi.org/10.29100/jipi.v8i3.3952>
- Arifin, N., Nurhayati, & Fauziah. (2022). Kombinasi Algoritma Sequential Searching dan Bubble Sort Pada Manajemen Laboratorium. *Jurnal Sains Komputer & Informatika (J-SAKTI)*, 6(1), 294–306.
- Rifki Afandi, M., Hatta, P., & Efendi, A. (2020). Otomatisasi Perangkat Jaringan Komputer Menggunakan Ansible Pada Laboratorium Komputer. *SMARTICS Journal*, 6(2), 48–53. <https://doi.org/10.21067/smartics.v6i2.4599>
- Hariyanto, D., Sastra, R., & Putri, F. E. (2021). Implementasi Metode Rapid Application Development Pada Sistem Informasi Perpustakaan. *Jurnal JUPITER*, 13(1), 110–117.
- Martono, M. (2019). Implementasi Prototype Aplikasi Pengelolaan Inventaris Barang. *Jurnal Ilmiah Media Sisfo*, 13(1), 38–47. <https://doi.org/10.33998/mediasisfo.2019.13.1.566>
- Oktaviani, N., Widiarta, I. M., & Nurlaily. (2019). Sistem Informasi Inventaris Barang Berbasis Web Pada Smp Negeri 1 Buer. *Jurnal Informatika, Teknologi Dan Sains*, 1(2), 160–168. <https://doi.org/10.51401/jinteks.v1i2.422>
- Sallaby, A. F., & Kanedi, I. (2020). Perancangan Sistem Informasi Jadwal Dokter Menggunakan Framework Codeigniter. *Jurnal Media Infotama*, 16(1), 48–53. <https://doi.org/10.37676/jmi.v16i1.1121>
- Rochman, A., Hanafri, M. I., & Wandira, A. (2020). Implementasi Website Profil SMK Kartini Sebagai Media Promosi dan Informasi Berbasis Open Source. *Academic Journal of Computer Science Research*, 2(1), 46–51. <https://doi.org/10.38101/ajcsr.v2i1.272>
- Renaldy, & Rustam, A. (2020). Perancangan Sistem Informasi Inventory Berbasis Web Pada Gudang Di Pt. Spin Warriors. *Aisyah Journal of Informatics and Electrical Engineering*, 4(1), 27–32. <http://jti.aisyahuniversity.ac.id/index.php/AJIEE>
- Nur, A., Pribadi, G., & Nurcahya, M. S. (2020). Analisa dan Perancangan Aplikasi Pembelajaran Bahasa Inggris Dasar Berbasis Android. *Jurnal IKRA-ITH*

- Informatika, 4(3), 1–5.
- Dellia, P., Mutiatun, S., & Amil, A. J. (2022). Pengembangan Augmented Reality Museum Cakraningrat Bangkalan Berbasis Qr-Code. *Jurnal Teknoinfo*, 16(2), 354. <https://doi.org/10.33365/jti.v16i2.1915>
- Sitanggang Rianto, Uriah Dachi Teddy, & Manurung H G Immanuel. (2022). Rancang Bangun Sistem Penjualan Tanaman Hiasberbasis Web Menggunakan Php Dan Mysql. *Tekesnos*, 4(1), 84–90.
- Amrullah, F., Andarwati, M., Swalaganata, G., & Rosyadi, H. E. (2021). Pengembangan Aplikasi Android MVTE dengan Metode RAD. *Jurnal Teknologi Dan Manajemen Informatika*, 7(2), 122–130. <https://doi.org/10.26905/jtmi.v7i2.6754>
- Ardi Widodo, K., Adi Wibowo, S., & Vendyansyah, N. (2021). Penerapan Sequential Search Untuk Pengelolaan Data Barang. *Antivirus : Jurnal Ilmiah Teknik Informatika*, 15(1), 86–97. <https://doi.org/10.35457/antivirus.v15i1.1385>
- Suryawan, M. A., Hasiri, E. M., & Ode, K. (2020). Implementation of Then Qr Code and Barcode System on the Payment System in a Shopping Store Using Android Application. *Jurnal Informatika*, 9(2), 1–9. <http://ejournal.unidayan.ac.id/index.php/JIU>
- Anggereni, S., Suhardiman, S., & Amaliah, R. (2021). Analisis Ketersediaan Peralatan, Bahan Ajar, Administrasi Laboratorium, Keterlaksanaan Kegiatan Praktikum di Laboratorium Fisika. *Jurnal Ilmiah Pendidikan Fisika*, 5(3), 414. <https://doi.org/10.20527/jipf.v5i3.3925>
- Aminnur, M., Pakpahan, R. S., Alfarizi, D. G., Apriana, D., Rahmat, S. M., Fauzi, A., & Rosyani, P. (2023). Implementasi Metode Sequential Search Untuk Pengelolaan Data Barang Pada Sistem Aplikasi Sikilat Cargo. *Jurnal Ilmu Komputer Dan Pendidikan*, 1(2), 283–287. <https://journal.mediapublikasi.id/index.php/logic>
- Pinem, S., & Pakpahan, V. M. (2020). Aplikasi Inventarisasi Aset Berbasis Web Dengan Metode Waterfall. *Jurnal Informatika Universitas Pamulang*, 5(2), 208. <https://doi.org/10.32493/informatika.v5i2.5668>
- Hikmah Fatimah, H., Fahrudin, D., & Setyowati, E. S. (2021). Kajian Problematika Dan Standarisasi Asisten Laboratorium Di Perguruan Tinggi. *INKUIRI: Jurnal Pendidikan IPA*, 10(2), 118. <https://doi.org/10.20961/inkuiri.v10i2.57254>
- Ahrizal, D., Miftah, M. K., Kurniawan, R., Zaelani, T., & Yulianti, Y. (2020). Pengujian Perangkat Lunak Sistem Informasi Peminjaman PlayStation dengan Teknik Boundary Value Analysis Menggunakan Metode Black Box Testing. *Jurnal Informatika Universitas Pamulang*, 5(1), 73. <https://doi.org/10.32493/informatika.v5i1.4338>

LAMPIRAN



The screenshot shows a Microsoft Visual Studio Code (VS Code) interface with the following details:

- File Explorer:** On the left, it lists files under "OPEN EDITORS". The currently active file is "lap_barang_keluar.php". Other files listed include "generate.php", "process.php", "cetak_barang_masuk.php", "cetak_barang_keluar.php", "generate.php", "kategori.php", "lap_barang.php", "lap_barang_masuk.php", "lap_stok_barang.php", "logout.php", "merek.php", "sequential.php", "users.php", "view_barang.php", "view_user.php", "temp", "views", "laporan", "master", "barang.php", "generate.php", "kategori.php", and "merek.php".
- Editor:** The main editor area displays the PHP code for "lap_barang_keluar.php". The code includes HTML headers, a CSS style block for tables, and a MySQL query for selecting data from multiple tables.
- Search Bar:** At the top center, it says "inventaris-test".
- Status Bar:** At the bottom, it shows "Ln 1, Col 1" and "Spaces: 4" and "UTF-8".

```
process > lap_barang_keluar.php
22     }
23
24     table {
25         border-collapse: collapse;
26         border: 1px solid #000;
27         font-size: 1em;
28     }
29
30     th,
31     td {
32         border: 1px solid #000;
33         padding: 5px;
34     }
35
36     table.tab {
37         table-layout: auto;
38         width: 100%;
39     }
40
41     </style>
42     <title>Cetak Laporan Barang Keluar</title>
43
44 </head>
45
46     <body>
47         <?php
48             $tgl_awal = $_POST['tanggal_awal'];
49             $tgl_akhir = $_POST['tanggal_akhir'];
50             $query = mysqli_query($con, "SELECT x.* ,x1.nama_barang,x2.nama_merek,x3.nama_Kategori FROM barang_keluar x JOIN ba
51             ?>
```

The screenshot shows a browser window with the title "inventaris-test". The left sidebar is a file explorer titled "OPEN EDITORS" showing a tree structure of files:

- INVENTARIS
- process
 - barang.php
 - generate.php
 - kategori.php
 - merek.php
 - pengguna.php
 - sequential.php
- transaksi
- home.php
- index.php
- login.php

The main content area displays the "barang.php" file with the following code:

```
<?php hakAkses(['admin']); ?>
<script>
function submit(x) {
    if (x == 'add') {
        $('[name="nama_barang"]').val("");
        $('[name="merek_id"]').val("").trigger('change');
        $('[name="kategori_id"]').val("").trigger('change');
        $('[name="keterangan"]').val("");
        $('#barangModal .modal-title').html('Tambah Barang');
        $('[name="ubah"]').hide();
        $('[name="tambah"]').show();
    } else {
        $('#barangModal .modal-title').html('Edit Barang');
        $('[name="tambah"]').hide();
        $('[name="ubah"]').show();
    }
}

$.ajax({
    type: "POST",
    data: {
        id: x
    },
    url: 'php echo base_url(); ?process/view_barang.php',
    dataType: 'json',
    success: function(data) {
        $('[name="idbarang"]').val(data.idbarang);
        $('[name="merek_id"]').val(data.merek_id).trigger('change');
        $('[name="kategori_id"]').val(data.kategori_id).trigger('change');
        $('[name="nama_barang"]').val(data.nama_barang);
        $('[name="keterangan"]').val(data.keterangan);
    }
});
```

```

<?php hakAkses(['admin']) ?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <h1>Pencarian Sequential Search</h1>
    <style>
        body {
            background-color: #f4f4f4;
        }
        h1 {
            text-align: center;
            color: #5a5c69;
            font-size: 30px;
        }
        table {
            border-collapse: collapse;
            width: 70%;
            margin: 20px auto;
            background-color: #fff;
            box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
        }
        table, th, td {
            border: 1px solid #ddd;
        }
    </style>
</head>
<body>
    <table>
        <thead>
            <tr>
                <th>Barang ID</th>
                <th>Nama Barang</th>
                <th>Kategori</th>
                <th>Harga</th>
                <th>Stok</th>
                <th>Action</th>
            </tr>
        <tbody>
            <tr>
                <td>1</td>
                <td>Laptop Apple</td>
                <td>Elektronik</td>
                <td>Rp 12.000.000</td>
                <td>5</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>2</td>
                <td>Monitor Dell</td>
                <td>Elektronik</td>
                <td>Rp 8.000.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>3</td>
                <td>Mouse Logitech</td>
                <td>Peripherals</td>
                <td>Rp 200.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>4</td>
                <td>Keyboard Razer</td>
                <td>Peripherals</td>
                <td>Rp 1.000.000</td>
                <td>20</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>5</td>
                <td>Headset Sennheiser</td>
                <td>Peripherals</td>
                <td>Rp 1.500.000</td>
                <td>15</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>6</td>
                <td>Mousepad SteelSeries</td>
                <td>Peripherals</td>
                <td>Rp 300.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>7</td>
                <td>Mousepad Corsair</td>
                <td>Peripherals</td>
                <td>Rp 250.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>8</td>
                <td>Mousepad Razer</td>
                <td>Peripherals</td>
                <td>Rp 400.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>9</td>
                <td>Mousepad Logitech</td>
                <td>Peripherals</td>
                <td>Rp 350.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>10</td>
                <td>Mousepad SteelSeries</td>
                <td>Peripherals</td>
                <td>Rp 450.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>11</td>
                <td>Mousepad Corsair</td>
                <td>Peripherals</td>
                <td>Rp 380.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>12</td>
                <td>Mousepad Razer</td>
                <td>Peripherals</td>
                <td>Rp 500.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>13</td>
                <td>Mousepad Logitech</td>
                <td>Peripherals</td>
                <td>Rp 420.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>14</td>
                <td>Mousepad SteelSeries</td>
                <td>Peripherals</td>
                <td>Rp 550.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>15</td>
                <td>Mousepad Corsair</td>
                <td>Peripherals</td>
                <td>Rp 480.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>16</td>
                <td>Mousepad Razer</td>
                <td>Peripherals</td>
                <td>Rp 600.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>17</td>
                <td>Mousepad Logitech</td>
                <td>Peripherals</td>
                <td>Rp 520.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>18</td>
                <td>Mousepad SteelSeries</td>
                <td>Peripherals</td>
                <td>Rp 650.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>19</td>
                <td>Mousepad Corsair</td>
                <td>Peripherals</td>
                <td>Rp 580.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>20</td>
                <td>Mousepad Razer</td>
                <td>Peripherals</td>
                <td>Rp 700.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>21</td>
                <td>Mousepad Logitech</td>
                <td>Peripherals</td>
                <td>Rp 620.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>22</td>
                <td>Mousepad SteelSeries</td>
                <td>Peripherals</td>
                <td>Rp 750.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>23</td>
                <td>Mousepad Corsair</td>
                <td>Peripherals</td>
                <td>Rp 680.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>24</td>
                <td>Mousepad Razer</td>
                <td>Peripherals</td>
                <td>Rp 800.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>25</td>
                <td>Mousepad Logitech</td>
                <td>Peripherals</td>
                <td>Rp 720.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>26</td>
                <td>Mousepad SteelSeries</td>
                <td>Peripherals</td>
                <td>Rp 850.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>27</td>
                <td>Mousepad Corsair</td>
                <td>Peripherals</td>
                <td>Rp 780.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>28</td>
                <td>Mousepad Razer</td>
                <td>Peripherals</td>
                <td>Rp 900.000</td>
                <td>10</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
            <tr>
                <td>29</td>
                <td>Mousepad Logitech</td>
                <td>Peripherals</td>
                <td>Rp 820.000</td>
                <td>50</td>
                <td><a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a></td>
            </tr>
        </tbody>
    </table>
</body>
</html>

```

Tables:

- barang
- barang_cetak
- barang_keluar
- barang_masuk
- kategori
- merek
- users

Structure of barang Table:

Field	Type	Null	Key	Default	Extra
barang_id	int(11)	Yes	Primary		
nama_barang	varchar(255)	No			
kategori	int(11)	No			
harga	decimal(10,2)	No			
stok	int(11)	No			
action	text	No			

Structure of barang_cetak Table:

Field	Type	Null	Key	Default	Extra
barang_id	int(11)	Yes	Primary		
jumlah	int(11)	No			
action	text	No			

Structure of barang_keluar Table:

Field	Type	Null	Key	Default	Extra
barang_id	int(11)	Yes	Primary		
jumlah	int(11)	No			
action	text	No			

Structure of barang_masuk Table:

Field	Type	Null	Key	Default	Extra
barang_id	int(11)	Yes	Primary		
jumlah	int(11)	No			
action	text	No			

Structure of kategori Table:


Field	Type	Null	Key	Default	Extra
kategori_id	int(11)	Yes	Primary		
nama_kategori	varchar(255)	No			
action	text	No			

Structure of merek Table:

Field	Type	Null	Key	Default	Extra
merek_id	int(11)	Yes	Primary		
nama_merek	varchar(255)	No			
action	text	No			

Structure of users Table:

Field	Type	Null	Key	Default	Extra
user_id	int(11)	Yes	Primary		
username	varchar(255)	No			
password	varchar(255)	No			
level	int(11)	No			
action	text	No			



Home > User > Author > **Active Submissions**

Active Submissions

ACTIVE **ARCHIVE**

ID	MM-DD-SUBMIT	SEC	AUTHORS	TITLE	STATUS
28910	14-02	SI	Sianipar	SEQUENTIAL SEARCH ALGORITHM AND QR CODE ON INVENTORY...	Awaiting assignment

1 - 1 of 1 Items

Start a New Submission
[CLICK HERE](#) to go to step one of the five-step submission process.

Refbacks

ALL **NEW** **PUBLISHED** **IGNORED**

DATE ADDED	HITS	URL	ARTICLE	TITLE	STATUS	ACTION
There are currently no refbacks.						

[Publish](#) [Ignore](#) [Delete](#) [Select All](#)



USER
 You are logged in as...
laurensius25
 » My journals
 » My Profile
 » Log Out

JOURNAL INFO
 Author Guidelines
 Focus and Scope
 Paper Submission
 Editorial Team